# Globally Significant Plants in Southeastern Big Horn and Southwestern Rosebud Counties, Montana

Prepared for:

The Bureau of Land Management

By:

Drake Barton and Sue Crispin

Montana Natural Heritage Program Natural Resource Information System Montana State Library

February 2003



## Globally Significant Plants in Southeastern Big Horn and Southwestern Rosebud Counties, Montana

Prepared for:
Bureau of Land Management
Miles City Field Office
111 Garryowen Rd. Miles City, MT 59301

Agreement #ESA010009 Task #5

By: Drake Barton and Sue Crispin Montana Natural Heritage Program







#### © 2003 Montana Natural Heritage Program

P.O. Box 201800 1515 East Sixth Ave Helena, MT 59620-1800 406-444-3009

#### This document should be cited as follows:

Barton, D. and S. Crispin. 2003. Globally Significant Plants in Southeastern Big Horn and Southwestern Rosebud Counties, Montana. Montana Natural Heritage Program, Helena. 27 pp. plus appendices.

### Acknowledgements

Many thanks to all the individuals who contributed to this project. A special thanks to Louise de Montigny, Bureau of Land Management, Miles City Field Office, for providing logistical support, and to Kent Undlin, Dawn Doran and Jeff Gustad from the Field Office for their accompaniment in the field. Thanks to Amy Taylor who conducted fieldwork in 2001. Thanks to Ron Hartman for use of the Rocky Mountain Herbarium in Laramie,

Wyoming, and Dave Dyer for access to the University of Montana Herbarium in Missoula, Montana for specimen identification. Thanks also to Spring Creek Coal for access to known locations of Sensitive plants. Another special thanks to all the landowners who provided access to conduct surveys, much needed directions and ice tea after a hot field day.

#### **Executive Summary**

In 2001 and 2002, botanists for the Montana Natural Heritage Program (MTNHP) conducted field surveys to locate Astragalus barrii (Barr's milkvetch) and Physaria didymocarpa var. lanata (woolly twinpod) in southeastern Big Horn County and southwestern Rosebud County. Both of these species are regional endemics, their overall range being restricted to portions of adjacent Montana, Wyoming and South Dakota. A. barrii is ranked G3 S2S3 (vulnerable at both global and state levels) by the Natural Heritage Network (Heidel 2001) and is recognized as a Watch Species by the BLM Montana Office. P. didymocarpa var. lanata is ranked G5T2 S1 (indicating the variety is vulnerable at both global and state levels) by the Natural Heritage Network and has not yet been designated as a Sensitive or Watch Species by the BLM Montana Office.

Previous to this study, both *A. barrii* and *P. didymocarpa* var. *lanata* were known to occur within the area but had not been systematically inventoried. *P. didymocarpa* var. *lanata* was known in Montana from only one location in Big Horn County and had been documented from 14 occurrences in north-central Wyoming. *A. barrii* had previously been documented from 33 locations in southeastern Montana, only two of those in southeastern Big Horn and southwestern Rosebud counties.

We identified potential habitat for *Astragalus* barrii and *Physaria didymocarpa* var. *lanata* prior to beginning fieldwork, using USGS topo-

graphic maps, soil data (Soil Survey 1996) and information in the MTNHP databases. Surveys were conducted mainly on larger blocks of public land where appropriate habitat was identified, and included a total of 25 survey routes.

These surveys resulted in discovery of four new occurrences of *P. didymocarpa* var. *lanata* and three new occurrences of *A. barrii*. In addition, two new locations were found for another globally significant Species of Concern, *Lomatium nuttallii* (Nuttall's desert-parsley). This species is a regional endemic, presently ranked G3 S1, and was previously known in Montana from one 1980 collection in Big Horn County. This species is designated as a Watch Species by the BLM in Montana (BLM 1996).

These surveys generated significant new information on the distribution and habitat of globally significant plant species in this area, particularly for *P. didymocarpa* var. *lanata* and *L. nuttallii*, both of which had only one known occurrence in Montana prior to 2001. The fact that our surveys were often unsuccessful in areas of apparently suitable habitat reinforces that these species are uncommon to rare, and do not occur predictably and regularly in apparently suitable habitat. However, given the relatively small proportion of potential habitat that we surveyed, additional populations likely exist for all three species in unsurveyed areas of suitable habitat scattered throughout the region.

### **Table of Contents**

Acknowledgements	
Introduction	1
Study Area	1
Methods	2
Results	3
Astragalus barrii (Barr's milkvetch)	4
Physaria didymocarpa var. lanata (woolly twinpod)	10
Lomatium nuttallii (Nuttall's desert-parsley)	17
Discussion and Conclusions	23
References	26
Appendices	
Appendix 1. Global / State Rank Definitions	
Appendix 2. Maps of the Search Routes	
List of Figures	
Figure 1. The five occurrence records for A. barrii in the study area.	
Figure 2. A. barrii close-up.	
Figure 3. A. barrii plant habit.	
Figure 4. A. barrii habitat.	
Figure 5. A. barrii habitat.	
Figure 6. The five occurrence records for <i>P. didymocarpa</i> var. <i>lanata</i> in the study area	
Figure 7. <i>P. didymocarpa</i> var. <i>lanata</i> fruiting plant habit	
Figure 8. <i>P. didymocarpa</i> var. <i>lanata</i> plant habitat	
Figure 9. <i>P. didymocarpa</i> var. <i>lanata</i> plant with fruits.	
Figure 10. <i>P. didymocarpa</i> var. <i>didymocarpa</i> plant in flower.	
Figure 11. The three occurrence records for <i>L. nuttalli</i> in the study area.	
Figure 12. L. nuttalliiís growth form.	
Figure 13. L. nuttallii habitat.	
Figure 14. <i>L. nuttallii</i> close-up showing leaf characteristics.	
Figure 15. <i>L. nuttallii</i> close-up showing fruit characteristics.	22
List of Tables	
Table 1. Element Occurrence records for <i>A. barrii</i> in the project study area	7
Table 2. Element Occurrence records for <i>P. didymocarpa</i> var. <i>lanata</i> in the study area	
Table 3. Element Occurrence records for <i>L. nuttallii</i> in the project study area	20